



12200 NW Ambassador Drive, Suite 101 Kansas City, MO 64163  
www.synbiotics.com Tel: (800) 228-4305 Fax: (816) 464-3521

Date of MSDS: 05-16-02

### SECTION I - IDENTIFICATION

PRODUCT NAME: **ViraCHEK<sup>®</sup>/FeLV**  
**Feline Leukemia Virus Antigen Test Kit**

### SECTION II - HAZARDOUS INGREDIENTS

HAZARDOUS CHEMICAL NAME (SYNONYM)	%	EXPOSURE LIMIT/TOXICITY DATA			CAS NUMBER
		TLV	Tox. Data	PEL	
Dimethylformamide (Chromogen)	25%	30 mg/m <sup>3</sup>	Rat (oral) LD50 2800 mg/kg	N/A	68-12-2

### SECTION III - PHYSICAL DATA

PRODUCT/COMPONENT:	Dimethylformamide
APPEARANCE AND ODOR:	White liquid w/ slight ammonia odor
BOILING POINT (°C):	153 <sup>0</sup>
VAPOR PRESSURE (mmHg):	3.7
VAPOR DENSITY (Air=1):	2.5
SPECIFIC GRAVITY (H <sub>2</sub> O=1):	0.95
EVAPORATION RATE:	N/A
SOLUBILITY IN WATER:	Complete (in all portions)

**PRODUCT NAME: ViraCHEK<sup>®</sup>/FeLV  
Feline Leukemia Virus Antigen Test Kit**

**SECTION IV - FIRE AND EXPLOSION DATA**

FIRE: Not considered to be a fire hazard.

EXPLOSION: Not considered to be an explosion hazard.

EXTINGUISHING  
MEDIA: Use any means suitable for extinguishing surrounding fire.

**SECTION V - REACTIVITY DATA**

PRODUCT/COMPONENT:	Dimethylformamide
STABILITY:	Stable
CONDITIONS TO AVOID:	Heat, flame, other sources of ignition
INCOMPATIBILITY (MATERIALS TO AVOID):	Strong oxidizing agents, halogenated hydrocarbons, active nitrogen compounds
HAZARDOUS POLYMERIZATION:	Will not occur
HAZARDOUS DECOMPOSITION PRODUCTS:	Amines

**SECTION VI - HEALTH HAZARD DATA**

Exercise appropriate care to avoid direct contact with skin and eyes.

**PRODUCT NAME: ViraCHEK<sup>®</sup>/FeLV  
Feline Leukemia Virus Antigen Test Kit**

**EXPOSURE EFFECTS:** Eyes & Skin -May cause irritation  
Inhalation - May cause irritation.

**FIRST AID:** Eyes & Skin - Flush with copious amounts of water for at least 15 min.  
Inhalation - Remove to fresh air.

**SECTION VII - SPECIAL PROTECTION INFORMATION**

**RESPIRATORY PROTECTION:** Not required

**VENTILATION:** Not required

In general, good laboratory procedures.

**SECTION VIII - SPILL OR LEAK PROCEDURES**

**SPILL:** Flush to drain with excess water.

**SECTION IX - SPECIAL STORAGE AND DISPOSAL PROCEDURES**

**STORAGE:** Not applicable. Store as indicated on package insert.

**DISPOSAL:** Follow all Federal, State and Local regulations.

**The information contained herein is provided in good faith, but does not purport to be all inclusive and shall be used only as a guide. No warranty is expressed or implied regarding the accuracy of this data. Synbiotics Corp. assumes no responsibility for damages caused by the use, storage or disposal of the product in a manner not consistent with product labeling. Users assume the risks associated with such unrecommended use, storage, or disposal of the product.**