



12200 NW Ambassador Drive Ste 101 Kansas City, MO 64163
Tel: (800) 228-4305 (816) 464-3500 Fax: (816) 464-3524

Date of MSDS: 11-19-09

SECTION I - IDENTIFICATION

PRODUCT NAME: FRESH EXPRESS[®] Canine Semen Extender

MANUFACTURER: Synbiotics Corp.
16420 Via Esprillo
San Diego, CA 92127

SECTION II – COMPOSITION / INFORMATION ON INGREDIENTS

The composition of this product is proprietary. As with all chemicals exercise caution when handling.

According to the Occupational Safety and Health Administration (OSHA), MSDS are not required for biologicals and diagnostics, only pharmaceuticals, unless >1% of the product is composed of a hazardous chemical (OSHA# 29CFR19101200). The above product(s) does not contain >1% of any hazardous chemical. The following information is offered as common-sense work practices.

SECTION III - PHYSICAL DATA

PRODUCT/COMPONENT:	Fresh Express Canine Semen Extender
APPEARANCE AND ODOR:	Opaque light green liquid, odorless
BOILING POINT (°C):	n/a
VAPOR PRESSURE (mgHg):	n/a
VAPOR DENSITY (Air=1):	n/a
SPECIFIC GRAVITY (H2O=1):	n/a
EVAPORATION RATE:	n/a
SOLUBILITY IN WATER:	soluble

PRODUCT NAME: FRESH EXPRESS® Canine Semen Extender

SECTION IV - FIRE AND EXPLOSION DATA

FIRE: n/a

EXPLOSION: n/a

EXTINGUISHING

MEDIA: n/a

SECTION V - REACTIVITY DATA

PRODUCT/COMPONENT:	Fresh Express Canine Semen Extender
STABILITY:	n/a
CONDITIONS TO AVOID:	n/a
INCOMPATIBILITY (MATERIALS TO AVOID):	Strong oxidizing agents
HAZARDOUS POLYMERIZATION:	n/a
HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon monoxide, Carbon dioxide

SECTION VI - HEALTH HAZARD DATA

Exercise appropriate care to avoid direct contact with skin and eyes.

EXPOSURE EFFECTS: Material is irritating to the eyes.

FIRST AID: Eyes – Immediately flush eyes with copious amounts of water for at least 15 minutes.
Skin – Immediately wash skin with soap and copious amounts of water.
If swallowed – Wash out mouth with water provided person is conscious, call a physician.

PRODUCT NAME: FRESH EXPRESS® Canine Semen Extender

SECTION VII - SPECIAL PROTECTION INFORMATION

RESPIRATORY
PROTECTION: n/a

VENTILATION: n/a

In general, good laboratory procedures.

SECTION VIII - SPILL OR LEAK PROCEDURES

SPILL: Ventilate area and wash spill site.

SECTION IX - SPECIAL STORAGE AND DISPOSAL PROCEDURES

STORAGE: One month in the refrigerator, six months in the freezer.

DISPOSAL: Use a licensed waste disposal company.

The information contained herein is provided in good faith, but does not purport to be all inclusive and shall be used only as a guide. No warranty is expressed or implied regarding the accuracy of this data. Synbiotics Corp. assumes no responsibility for damages caused by the use, storage or disposal of the product in a manner not consistent with product labeling. Users assume the risks associated with such unrecommended use, storage, or disposal of the product.